




LED FLUSHMOUNT COMFORT

*The future
of urban lighting*



PRODUCT PRESENTATION | 2022

WWW.ASD-LIGHTING.COM



*The future
of urban lighting*

LED FLUSHMOUNT COMFORT

APPLICATION

Provides bright, yet smooth lighting for your family room, bedroom, hallway, corridor, or any other common area in your living space. It can be used as an additional light to an already existing ceiling light as well. This fixture is also Damp Location rated.

ENERGY SAVING & EFFICIENCY

This fixture will save you a significant amount of money in its lifetime by providing high lumen output with low energy consumption.

CERTIFICATION & WARRANTY

ASD provides a 5-year warranty along with ETL certification to guarantee top quality products and safety.



LED FLUSHMOUNT COMFORT

5CCT SERIES



AFINA
page 5



DIAMOND
page 6



HONEY
page 7



LOFT BLACK
page 8



LOFT NICKEL
page 9



MYSTERY
page 10



STONE
page 11



WOOD
page 12

LED FLUSHMOUNT COMFORT 5CCT

Choose from several different styles to match your interior design. Made with high quality materials to ensure your fixture will look great for years.

This fixture is also color adjustable, you can choose either 2 700K, 3 000K, 3 500K, 4 000K, or 5 000K with a simple switch.

2 700K – 3 500K WARM WHITE

Warmer color temperatures tend to work well in family houses, hotels, coffee shops and other relaxed environments.

4 000K BRIGHT WHITE

Neutral color temperatures are generally appropriate in areas for work and other residential and commercial spaces, such as offices and meeting rooms.

5 000K DAYLIGHT

Cooler color temperatures are good for setting a clean crisp atmosphere for offices, working areas, shopping malls and other commercial areas.





AFINA

LFC-AF

Made in black and white colors with sharp geometric lines, the Afina design is a great accent piece for a modern interior.



2 700K



3 000K



3 500K



4 000K



5 000K



20"
PRODUCT SIZE



42W
AVAILABLE POWER



2 700K – 5 000K
COLOR TEMPERATURE



DIAMOND

LFC-DD

The unique geometric shape of the fixture resembles a diamond, and a sparkling finish completes the look, making it the perfect fixture for a contemporary interior.



20"
PRODUCT SIZE



42W
AVAILABLE POWER



2 700K – 5 000K
COLOR TEMPERATURE



2 700K



3 000K



3 500K



4 000K



5 000K



HONEY

LFC-HN

The Honey design is a perfect fit for high-tech interiors – in addition to the unique style, the honeycomb shade cutouts create a beautiful pattern on the ceiling.



20"
PRODUCT SIZE




42W
AVAILABLE POWER




2 700K – 5 000K
COLOR TEMPERATURE



2 700K



3 000K




3 500K



4 000K



5 000K



LOFT BLACK

LFC-LF-BK

The Loft style flushmount is the perfect accent to an urban environment. The metal construction fits well with any modern or industrial interior design.




16", 20"
PRODUCT SIZE




28W, 42W
AVAILABLE POWER




2 700K – 5 000K
COLOR TEMPERATURE




2 700K



3 000K




3 500K



4 000K



5 000K



LOFT NICKEL

LFC-LF-NK

The Loft style flushmount is the perfect accent to an urban environment. The metal construction fits well with any modern or industrial interior design.




16", 20"
PRODUCT SIZE




28W, 42W
AVAILABLE POWER




2 700K – 5 000K
COLOR TEMPERATURE



2 700K




3 000K



3 500K



4 000K



5 000K



MYSTERY

LFC-MY

The mystery diffuser along with its crystal cut edge creates a sophisticated interior atmosphere.




20"
PRODUCT SIZE



42W
AVAILABLE POWER



2 700K – 5 000K
COLOR TEMPERATURE



2 700K



3 000K



3 500K



4 000K



5 000K



STONE

LFC-SN

The Stone style flushmount has a modern natural shape. The simple, unique design would fit in perfectly with any minimalist interior design.



16", 20"
PRODUCT SIZE




28W, 42W
AVAILABLE POWER




2 700K – 5 000K
COLOR TEMPERATURE



2 700K



3 000K



3 500K



4 000K



5 000K

LED FLUSHMOUNT COMFORT 5CCT



WOOD

LFC-WD

The stylish design of the Wood flushmount combines wooden texture with a matte diffuser surface. This bright, contemporary fixture is the perfect accent to your modern, nature-inspired space.



20"
PRODUCT SIZE



42W
AVAILABLE POWER



2 700K – 5 000K
COLOR TEMPERATURE



2 700K



3 000K



3 500K



4 000K



5 000K



LED FLUSHMOUNT COMFORT

SMART SERIES



GALAXY RGB SMART

page 16

MYSTERY RGB SMART

page 17

LED FLUSHMOUNT COMFORT SMART+REMOTE control

SMART CONTROL

ASD SMART application allows you to control you fixtures on your smartphone. Set up brightness, color temperature and use RGB backlight that will best fit your mood, time of the day or specific goal.

Group fixtures into groups and assign names to them. After that, you can control a specific group of luminaires.



CUSTOMIZABLE LIGHTING SCENES

Make customizable lighting scenes and scenarios for single fixtures and groups. Automatic scenarios let you set actions depending on sunrise and dusk, local temperature, humidity, weather or wind speed.

SCHEDULE

Schedule have a wide customization options and allow you set up start/end action according to time and day of the week.

PERMISSIONS TO CONTROL

Permissions to control lighting in your home or office can be granted to new members through the app. PUSH-messages will let your know about your fixtures activity when your not home.

ALEXA VOICE CONTROL

Alexa voice control is available. connect ASD Smart Alexa Skill and control your devices by simple voice commands.

LED FLUSHMOUNT COMFORT SMART+REMOTE control

REMOTE CONTROL

Set up brightness, color temperature and use RGB backlight that will best fit your mood, time of the day or specific goal.

Access additional functions with one button by using the remote control. Remote control is included.



ADDITIONAL FUNCTIONS

RGB customization provides colorful effects and Star Sky effect creates a more interesting atmosphere. Sleep timer is also available.

NIGHTLIGHT MODE

Nightlight mode at the touch of a button. Soft nightlight mode will create a calm and relaxing atmosphere.

ONE REMOTE

One remote to control for all COMFORT series fixtures. No need for a remote control for each luminaire.

SMART MEMORY

Smart memory feature automatically saves settings each time you change it and allows you to reuse the last setting.

GALAXY SMART

ASD-LFC-GX-S-RGB-SMART



RGB LIGHTING



STARLIGHT EFFECT

The futuristic design of the fixture is equipped with additional LED RGB illumination and Starlight Effect. It is a great solution for high-tech design.



20"
PRODUCT SIZE



42W
AVAILABLE POWER




2 700K – 5 000K
COLOR TEMPERATURE




RGB LIGHTING



RED



GREEN



BLUE



2 700K



3 500K



5 000K

MYSTERY SMART

ASD-LFC-MY-S-RGB-SMART




The fixture is equipped with additional LED RGB illumination. It allows you to change the lighting from soft natural to contrasting color. With a Starlight Effect fixture will look more interesting.

RGB LIGHTING




RED



GREEN



BLUE



2 700K



3 500K



5 000K



20"
PRODUCT SIZE



42W
AVAILABLE POWER



2 700K – 5 000K
COLOR TEMPERATURE



LED FLUSHMOUNT COMFORT



AFINA

Model	Size	Watts	Input Voltage	Dimmable	CCT	Lumens	Dimensions LxWxH	Pcs. per Carton	Certification
ASD-LFC-AF-20D42-AC	20"	42W	120V	Triac	2,700K	2,158lm	19-1/8" x 19-1/8" x 3-9/16"	4	ETL
					3,000K	2,315lm			
					3,500K	2,497lm			
					4,000K	2,638lm			
					5,000K	2,468lm			



DIAMOND

Model	Size	Watts	Input Voltage	Dimmable	CCT	Lumens	Dimensions LxWxH	Pcs. per Carton	Certification
ASD-LFC-DD-20D42-AC	20"	42W	120V	Triac	2,700K	2,818lm	19-5/16" x 19-5/16" x 3-9/16"	4	ETL
					3,000K	3,026lm			
					3,500K	3,263lm			
					4,000K	3,430lm			
					5,000K	3,206lm			



HONEY

Model	Size	Watts	Input Voltage	Dimmable	CCT	Lumens	Dimensions LxWxH	Pcs. per Carton	Certification
ASD-LFC-HN-20D42-AC	20"	42W	120V	Triac	2,700K	2,138lm	18-7/8" x 18-7/8" x 4-3/4"	4	ETL
					3,000K	2,249lm			
					3,500K	2,544lm			
					4,000K	2,372lm			
					5,000K	2,381lm			



LOFT BLACK

Model	Size	Watts	Input Voltage	Dimmable	CCT	Lumens	Dimensions LxWxH	Pcs. per Carton	Certification
ASD-LFC-LF-16D28-AC-BK	16"	28W	120V	Triac	2,700K	1,325lm	15-3/8" x 15-3/8" x 3-15/16"	4	ETL
					3,000K	1,446lm			
					3,500K	1,553lm			
					4,000K	1,623lm			
					5,000K	1,576lm			
ASD-LFC-LF-20D42-AC-BK	20"	42W	120V	Triac	2,700K	2,028lm	19-5/16" x 19-5/16" x 4-5/16"	4	ETL
					3,000K	2,181lm			
					3,500K	2,356lm			
					4,000K	2,475lm			
					5,000K	2,474lm			



LOFT NICKEL

Model	Size	Watts	Input Voltage	Dimmable	CCT	Lumens	Dimensions LxWxH	Pcs. per Carton	Certification
ASD-LFC-LF-16D28-AC-NK	16"	28W	120V	Triac	2,700K	1,325lm	15-3/8" x 15-3/8" x 3-15/16"	4	ETL
					3,000K	1,446lm			
					3,500K	1,553lm			
					4,000K	1,623lm			
					5,000K	1,576lm			
ASD-LFC-LF-20D42-AC-NK	20"	42W	120V	Triac	2,700K	2,028lm	19-5/16" x 19-5/16" x 4-5/16"	4	ETL
					3,000K	2,181lm			
					3,500K	2,356lm			
					4,000K	2,475lm			
					5,000K	2,474lm			



MYSTERY

Model	Size	Watts	Input Voltage	Dimmable	CCT	Lumens	Dimensions LxWxH	Pcs. per Carton	Certification
ASD-LFC-MY-20D42-AC	20"	42W	120V	Triac	2,700K	2,818lm	19-1/2" x 19-1/2" x 3-3/16"	4	ETL
					3,000K	3,026lm			
					3,500K	3,263lm			
					4,000K	3,430lm			
					5,000K	3,206lm			



STONE

Model	Size	Watts	Input Voltage	Dimmable	CCT	Lumens	Dimensions LxWxH	Pcs. per Carton	Certification
ASD-LFC-SN-16D28-AC	16"	28W	120V	Triac	2,700K	1,758lm	16-15/16" x 16-15/16" x 3-3/4"	4	ETL
					3,000K	1,896lm			
					3,500K	2,036lm			
					4,000K	2,126lm			
					5,000K	2,053lm			
ASD-LFC-SN-20D42-AC	20"	42W	120V	Triac	2,700K	2,818lm	20-13/16" x 19-5/16" x 4-1/8"	4	ETL
					3,000K	3,026lm			
					3,500K	3,263lm			
					4,000K	3,430lm			
					5,000K	3,206lm			



WOOD

Model	Size	Watts	Input Voltage	Dimmable	CCT	Lumens	Dimensions LxWxH	Pcs. per Carton	Certification
ASD-LFC-WD-20D42-AC	20"	42W	120V	Triac	2,700K	1,824lm	19-1/8" x 19-1/8" x 3-9/16"	4	ETL
					3,000K	1,957lm			
					3,500K	2,112lm			
					4,000K	2,230lm			
					5,000K	2,098lm			



GALAXY RGB SMART

Model	Size	Watts	Input Voltage	Dimmable	CCT	Lumens	Dimensions LxWxH	Pcs. per Carton	Certification
ASD-LFC-GX-20D42S-RGB-SMART	20"	42W	120V	Triac	2,700-5,000	-lm	-	4	ETL



MYSTERY RGB SMART

Model	Size	Watts	Input Voltage	Dimmable	CCT	Lumens	Dimensions LxWxH	Pcs. per Carton	Certification
ASD-LFC-MY-20D42S-RGB-SMART	20"	42W	120V	Triac	2,700-5,000	-lm	19-1/2" x 19-1/2" x 3-3/4"	4	ETL



SINCE 1999

ASD LIGHTING CORP



ASD Lighting Corp has become one of the leading LED lighting brands in the United States for commercial and residential applications.

QUALITY

For the production of ASD Luminaires we carefully choose the highest quality components to ensure efficiency and longevity.



LOGISTICS

We are constantly improving our warehouse system so that delivery and storage of ASD products is not only profitable but fast and convenient.

