



# LED WALLPACK

*The modern solution  
for commercial exterior lighting*



PRODUCT PRESENTATION | 2023

[WWW.ASD-LIGHTING.COM](http://WWW.ASD-LIGHTING.COM)





# LED WALLPACKS



**LED TRADITIONAL WALLPACK**  
page 5



**LED TRADITIONAL WALLPACK  
with BATTERY BACK-UP**  
page 6



**LED ADJUSTABLE CUTOFF WALLPACK**  
page 7



**LED FULL CUTOFF WALLPACK**  
page 8



**LED SECURITY WALLPACK**  
page 9



*The modern solution  
for commercial exterior lighting*

# LED WALLPACK

## APPLICATION


These fixtures are perfect for outdoor security lighting, wall perimeter lighting, garages, large backyards, commercial loading bays, warehouses, apartment complexes, hotels and many other outdoor commercial and multi-family spaces.

## ENERGY SAVING & EFFICIENCY

This fixture will save you a significant amount of money in its lifetime by providing high lumen output with low energy consumption.

## CERTIFICATION & WARRANTY

ASD provides 5-year warranty along with UL and DLC Premium certifications to guarantee top quality products and safety, while also allowing for participation in rebates.



# LED TRADITIONAL WALLPACK

LED TRADITIONAL WALLPACK has durable, commercial-grade die-cast aluminum housing, maintenance-free LEDs, and antileakage silicone gaskets. They also feature an anti-glare glass shield with high temperature resistance, guaranteeing high luminance and great transparency.

The housing features a removable hinge door and multiple points of entry, making installation quick and easy.



## COLOR ADJUSTABLE MODELS

LED TRADITIONAL WALLPACK with color adjustable option allows you to set it at 3000K, 4000K or 5000K with a simple switch. This versatility enables you to tailor the lighting to various needs and environments.

## BATTERY BACK-UP MODELS

Models with built-in Battery Back-Up ensure 90 minutes of power in case of emergency. The indicator light on the side of the fixture allows you to see whether it is in back-up mode or AC mode

## PHOTOCELL KIT

The dusk-to-dawn photocell option will automatically turn the fixture off during daylight hours.

# LED TRADITIONAL WALLPACK

## WLP01

LED TRADITIONAL WALLPACK has durable, commercial-grade die-cast aluminum housing, maintenance-free LEDs, and antileakage silicone gaskets. They also features an anti-glare glass shield with high temperature resistance, guaranteeing high illuminance and great transparency. The housing features a removable hinge door and multiple points of entry, making installation quick and easy.

Models with CCT adjustable option are also available, letting you set it to 3000K, 4000K or 5000K with a simple switch.



### PRODUCT SIZES

10", 14"



### AVAILABLE POWER

30W, 50W, 80W, 120W



### COLOR TEMPERATURE

3CCT, 5000K



DIE-CAST ALUMINUM HOUSING WITH EXCELLENT HEAT DISSIPATION



TEMPERED GLASS LENS FOR HIGH ILLUMINANCE




REMOVABLE HINGE DOOR FOR QUICK AND EASY WIRING




SURGE PROTECTION AGAINST VOLTAGE AND CURRENT SURGES

luminous intensity distribution diagram



ASD-WLP01S




30W  
50W

ASD-WLP01



50W  
80W  
120W



Bronze



120-277V  
voltage



6kV  
Surge  
protection



0-10V  
dimming



Wet  
locations



# LED TRADITIONAL WALLPACK

## WLP01-EM with Battery Back-up

LED TRADITIONAL WALLPACK with built-in Battery Back-Up ensure 90 minutes of power in case of emergency. The indicator light on the side of the fixture allows you to see whether it is in back-up mode or AC mode.

BUILT-IN  
BATTERY BACK-UP



**AVAILABLE  
POWER**

50W, 80W



**COLOR  
SELECTABLE**

3000K, 4000K, 5000K



**BUILT-IN BATTERY BACK-UP  
WITH 90 MIN EMERGENCY POWER**



**DIE-CAST ALUMINUM HOUSING  
WITH EXCELLENT HEAT DISSIPATION**




**TEMPERED GLASS LENS  
FOR HIGH ILLUMINANCE**



**SURGE PROTECTION AGAINST  
VOLTAGE AND CURRENT SURGES**

luminous intensity distribution diagram



Bronze



# LED ADJUSTABLE CUTOFF WALLPACK

## WLP02A-PC with Photocell

LED ADJUSTABLE CUTOFF WALLPACK is a contemporary commercial-grade area luminaire. It has a 0-90° adjustable head and cut-off design for controllable illumination. The fixture comes with a built-in dusk-to-dawn photocell that turns it on/off depending on the time of day. The housing is made of diecast aluminum, which provides excellent heat dissipation. The impact-resistant polycarbonate lens protects the LEDs and prevents glare.

The housing features a removable hinge door and multiple points of entry, making installation quick and easy.

**W** AVAILABLE POWER

12W, 30W, 50W

**3CCT** COLOR SELECTABLE

3000K, 4000K, 5000K


 BUILT-IN DUSK TO DAWN PHOTOCELL

 ADJUSTABLE CUTOFF DESIGN 0-90°

 DIE-CAST ALUMINUM HOUSING WITH EXCELLENT HEAT DISSIPATION

 SURGE PROTECTION AGAINST VOLTAGE AND CURRENT SURGES

luminous intensity distribution diagram



Black



**ENABLING THE PHOTOCELL**  
by default models come with the photocell disconnected


**ADJUSTABLE HEAD**  
0-90°

# LED FULL CUTOFF WALLPACK

## WLP03

LED POWER ADJUSTABLE FULL CUTOFF WALLPACK is built with diecast aluminum and impact-resistant polycarbonate. This fixture can be used in most outdoor locations and is the perfect replacement for traditional outdoor wallpacks. It emits no visible light above a 90° angle, making it perfect for congested areas where light pollution may be an issue. The housing features a removable hinge door and multiple points of entry, making installation quick and easy.

The Power Selectable option allows you to adjust the fixture's wattage to the needs and requirements of the environment.



**W** POWER ADJUSTABLE

30-40-50W  
50-60-80W  
80-100-120W

**3CCT** COLOR SELECTABLE

3000K, 4000K, 5000K


 DIE-CAST ALUMINUM HOUSING WITH EXCELLENT HEAT DISSIPATION

 SURGE PROTECTION AGAINST VOLTAGE AND CURRENT SURGES

 FULL CUTOFF DESIGN WITH DIRECTED LIGHT

 POWER ADJUSTABLE AND COLOR SELECTABLE

luminous intensity distribution diagram



Bronze





# LED SECURITY WALLPACK



**BUILT-IN DUSK-TO-DAWN PHOTOCELL**  
To disable Photocell function, simple put the rubber cap on it (included)

## LSWP01 with Photocell

LED SECURITY WALLPACK WITH PHOTOCELL comes with a built-in dusk-to-dawn photocell that turns the fixture on/off depending on the time of day.

They are also CCT adjustable, letting you set them to either 3,000K, 4,000K, or 5,000K with a simple switch.


**W AVAILABLE POWER**

18W, 26W

**3CCT COLOR SELECTABLE**

3000K, 4000K, 5000K

-  DIE-CAST ALUMINUM HOUSING WITH EXCELLENT HEAT DISSIPATION
-  ANTI-GLARE PC LENS WITH EVEN LIGHT DISTRIBUTION
-  3 COLOR TEMPERATURE OPTIONS
-  IP65 RATED FOR ALL WEATHER CONDITIONS



Black





# LED WALLPACK



## WLP01

Model	Size	Input Voltage	Dimmable	Watts	Lm	CCT	Finish	Dimensions LxWxH	Pcs. per Carton	Certification
ASD-WLP01S-30DAC	10"	120-277V	1-10V	30W	4,500lm/4,890lm/4,834lm	3,000K/4,000K/5,000K	Bronze	10-1/4" x 9-1/2" x 7-1/2"	1	UL / DLC PRM
ASD-WLP01S-50D50	10"	120-277V	1-10V	50W	7,987lm	5,000K	Bronze	10-1/4" x 9-1/2" x 7-1/2"	1	UL / DLC PRM
ASD-WLP01S-50DAC	10"	120-277V	1-10V	50W	7,500lm/7,230lm/7,282lm	3,000K/4,000K/5,000K	Bronze	10-1/4" x 9-1/2" x 7-1/2"	1	UL / DLC PRM
ASD-WLP01-50D50	14"	120-277V	0-10V	50W	7,878lm	5,000K	Bronze	14-1/4" x 9-5/16" x 7-9/16"	1	UL / DLC PRM
ASD-WLP01-50DAC	14"	120-277V	1-10V	50W	7,250lm/7,719lm/7,773lm	3,000K/4,000K/5,000K	Bronze	14-1/4" x 9-5/16" x 7-9/16"	1	UL / DLC PRM
ASD-WLP01-80D50	14"	120-277V	0-10V	80W	11,874lm	5,000K	Bronze	14-1/4" x 9-5/16" x 7-9/16"	1	UL / DLC PRM
ASD-WLP01-80DAC	14"	120-277V	1-10V	80W	11,680lm/12,174lm/11,956lm	3,000K/4,000K/5,000K	Bronze	14-1/4" x 9-5/16" x 7-9/16"	1	UL / DLC PRM
ASD-WLP01-120D50	14"	120-277V	0-10V	120W	17,443lm	5,000K	Bronze	14-1/4" x 9-5/16" x 7-9/16"	1	UL / DLC PRM
ASD-WLP01-120DAC	14"	120-277V	1-10V	120W	17,050lm/17,703lm/17,633lm	3,000K/4,000K/5,000K	Bronze	14-1/4" x 9-5/16" x 7-9/16"	1	UL / DLC PRM

## WLP01-EM with Battery Back-up

Model	Input Voltage	Dimmable	Watts	Lm	CCT	Finish	Dimensions LxWxH	Pcs. per Carton	Certification
ASD-WLP01-50DAC-EM	120-277V	1-10V	50W	7,250lm/7,719lm/7,773lm	3,000K/4,000K/5,000K	Bronze	14-1/4" x 9-5/16" x 7-9/16"	1	UL / DLC PRM
ASD-WLP01-80DAC-EM	120-277V	1-10V	80W	11,680lm/12,174lm/11,956lm	3,000K/4,000K/5,000K	Bronze	14-1/4" x 9-5/16" x 7-9/16"	1	UL / DLC PRM

## WLP02A-PC with Photocell

Model	Input Voltage	Dimmable	Watts	Lm	CCT	Finish	Dimensions LxWxH	Pcs. per Carton	Certification
ASD-WLP02A-12DAC-PC-BK	120-277V	0-10V	12W	1,500lm/1,686lm/1,574lm	3,000K/4,000K/5,000K	Black	5-7/8" x 5-1/16" x 3-9/16"	12	UL / DLC PRM
ASD-WLP02A-30DAC-PC-BK	120-277V	0-10V	30W	3,750lm/4,058lm/3,772lm	3,000K/4,000K/5,000K	Black	9-1/8" x 7-5/8" x 4-5/8"	6	UL / DLC PRM
ASD-WLP02A-50DAC-PC-BK	120-277V	0-10V	50W	6,250lm/7,047lm/6,644lm	3,000K/4,000K/5,000K	Black	9-1/8" x 7-5/8" x 4-5/8"	6	UL / DLC PRM

## WLP03

Model	Input Voltage	Dimmable	Watts	Lm	CCT	Finish	Dimensions LxWxH	Pcs. per Carton	Certification
ASD-WLP03-A50DAC-BR	120-277V	0-10V	30W	4,366lm	3,000K/4,000K/5,000K	Bronze	14-3/16" x 9-1/4" x 6-9/16"	4	UL / DLC PRM
			40W	5,592lm	3,000K/4,000K/5,000K				
			50W	6,723lm	3,000K/4,000K/5,000K				
ASD-WLP03-A80DAC-BR	120-277V	0-10V	50W	7,197lm	3,000K/4,000K/5,000K	Bronze	14-3/16" x 9-1/4" x 6-9/16"	4	UL / DLC PRM
			60W	8,394lm	3,000K/4,000K/5,000K				
			80W	10,208lm	3,000K/4,000K/5,000K				
ASD-WLP03-A120DAC-BR	120-277V	0-10V	80W	11,642lm	3,000K/4,000K/5,000K	Bronze	14-3/16" x 9-1/4" x 6-9/16"	4	UL / DLC PRM
			100W	13,680lm	3,000K/4,000K/5,000K				
			120W	16,198lm	3,000K/4,000K/5,000K				

## LSWP01

Model	Input Voltage	Dimmable	Watts	Lm	CCT	Finish	Dimensions LxWxH	Pcs. per Carton	Certification
ASD-LSWP01-18NCC-PC	120-277V	-	18W	2,165lm/2,170lm/2,187lm	3,000K/4,000K/5,000K	Black	8-1/8" x 5-3/8" x 2-13/16"	8	UL
ASD-LSWP01-26NCC-PC	120-277V	-	26W	3,313lm/3,344lm/3,385lm	3,000K/4,000K/5,000K	Black	8-1/8" x 5-3/8" x 2-13/16"	8	UL

## ASD PHOTOCELL FOR WLP

ACCESSORIES				
Model	Applicable Models	Finish	Dimensions LxWxH	pcs. per Carton
ASD-PC-WLP	WLP01 30-120W / WLP02A 30-50W / WLP03 50-120W	White	7/8" x 7/8" x 3/4"	100



SINCE 1999

## ASD LIGHTING CORP



ASD Lighting Corp has become one of the leading LED lighting brands in the United States for commercial and residential applications.

### QUALITY

For the production of ASD Luminaires we carefully choose the highest quality components to ensure efficiency and longevity.



### LOGISTICS

We are constantly improving our warehouse system so that delivery and storage of ASD products is not only profitable but fast and convenient.

