

DesignLights Consortium



Model Number	ASD-LTR-22A30 (BLANK/EM)
Classification	Standard
Primary Use	2x2 Luminaires for Ambient Lighting of Interior Commercial Spaces
Reported Input Wattage	30 W
Reported Light Output	3900 lm
Reported CRI (Ra)	83
Product ID	S-JLTYBJ
DLC Family Code	HDBWLR
Listing Status	Listed
Date Qualified	2026-06-01
Reported CCT	3500 K
Specification Sheet	S-JLTYBJ Specification Sheet Date Updated: 2026-04-30

PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	6.0
Product ID	S-JLTYBJ
Manufacturer	ASD Lighting Corp
Brand	ASD
Model Number	ASD-LTR-22A30 (BLANK/EM)
Parent	Yes
Classification	Standard
DLC Family Code	HDBWLR
Input Power Type	AC
Field Adjustable Color Temperature	Yes
Solar	No

PRODUCT CATEGORIZATION VIEW DETAILS

Category	Indoor Luminaires
General Application	Troffer
Primary Use Designation	2x2 Luminaires for Ambient Lighting of Interior Commercial Spaces
Warm-Dimming	No

V5.1 CONTROL FEATURES VIEW DETAILS

Integral Control Capability	No
-----------------------------	----

V6.0 CONTROLS OPTIONS VIEW DETAILS

Under Review

REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	3900lm
Reported Efficacy (AC)	130lm/W
Reported CCT	3500K
Reported CRI (Ra)	83
Reported R9	8
Reported IES Rf	85
Reported IES Rg	97
Reported IES Rcs,h1	-12
Reported Default Light Output	3900lm

REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	30W
Reported Total Harmonic Distortion	11.1%
Reported Power Factor	0.968
Reported Default Input Wattage	30W
Voltage Range	120-277V

TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Tested Voltage for Minimum Efficacy	120
Tested Light Output	3910lm
Tested Efficacy (AC)	131.64lm/W
Tested CCT	3566K
Tested CRI (Ra)	83
Tested R9	8
Tested IES Rf	85
Tested IES Rg	97
Tested IES Rcs,h1	-12%
Tested Duv	0.00225

TESTED ELECTRICAL PERFORMANCE VIEW DETAILS

Tested Input Wattage	29.7W
----------------------	-------

Tested Total Harmonic Distortion	11.1%
Tested Power Factor	0.968

FIELD ADJUSTABILITY VIEW DETAILS

Field Adjustable Light Output	Yes
Field Adjustable Light Distribution	No
Reported Light Output Setting 1	2800lm
Reported Wattage Setting 1	20W
Reported Light Output Setting 2	3375lm
Reported Wattage Setting 2	25W
Reported Light Output Setting 3	3900lm
Reported Wattage Setting 3	30W
Reported Default CCT	3500
Reported CCT Setting 1	3500
Reported CCT Setting 2	4000
Reported CCT Setting 3	5000
Aimable	No
Levelable	No

TUNABILITY VIEW DETAILS

CCT-Tunable	No
Full Color-Tunable	No

VERSION HISTORY VIEW DETAILS

2026-06-01	Listed	6	Standard
------------	--------	---	----------

Product Images shown may not represent all capabilities or aesthetic options available for the associated model number